

# THE CASE AGAINST VACCINES

## **U.S. HAS HIGHEST FIRST-DAY INFANT MORTALITY OUT OF INDUSTRIALIZED WORLD, GROUP REPORTS**

50 percent more first-day deaths than all other industrialized countries combined. Hep-B Page - 7

The information in this handbook is for information purposes only. It is not intended to replace your relationship with a healthcare professional.

For the sources please visit: <https://unvaccinate.home.blog/>

**Many lectures on the subject can be heard at the Akeres Habayis  
Hotline at 1-212-444-1900, press 6,4**

We have gone from 12.8% chronic illnesses in 1983 to 54% at the same time as we have expanded the schedule from 11 to 53 injections

# Shocking Stats

"U.S. Kids More Likely to Die Than Kids in 19 Other Nations"

11%

children aged 4-17-year-old children (11%) had ever received an ADHD diagnosis, up from 7.8% in 2003

43%

An estimated 43% children in the USA have at least 1 of 20 chronic health conditions;

1 in 45

children are diagnosed with Autism Spectrum Disorder

1 in 5

one in five U.S. adults lives with a mental illness

1 in 6

children have a developmental disability (CDC)

8.3%

8.3% of children in the United States had asthma

8%

nearly 8% of children have food allergies with young children affected most

How many more do we have sacrifice until we say enough!?



In a case-controlled study there was a 67% increased risk of non-hodkins lymphoma and 233% percent risk for hodkins lymphoma, for those who did not have wild measles.

# Measles

"measles is widely considered a benign disease with a negligible mortality rate in developed countries" (BMJ, Feb 9, 1985)

Why the sudden fear?

450

deaths before the measles vaccination program started in 1963, 400 to 500 died each year.

100

people are struck and killed by lightning each year.

350

people are killed in bath- or shower-related

20,000

Nearly 20,000 people died with bloodstream staph infections in 2017.

40,000


Estimated vehicle deaths in 2017

250,000


deaths per year are due to medical error

The CDC admits that those with natural measles have lifelong immunity, unlike, when vaccinated.

Mass vaccination has actually resulted in an increased risk to infants in the event of infection, as maternal passive immunity is more likely when having natural measles



# PLACEBO PYRAMID SCHEME



Source: [www.icandecide.org](http://www.icandecide.org)

Every drug goes through safety testing by having two groups, one receiving the drug and the other receives an inert placebo, they are then followed for a couple of years to determine its risk/benefit ratio. Not a single vaccine has gone through this process, by either not having a placebo at all, or by comparing to another vaccine or adjuvant, furthermore, at most they were followed for six weeks. Therefore its risk vs. benefits are unknown to determine if gain more than you lose.

"How do we know vaccines aren't causing long-term health problems? Observing vaccinated children for many years to look for long-term health conditions would not be practical" (CDC)

"Few studies have comprehensively assessed the association between the entire immunization schedule or variations in the overall schedule and categories of health outcomes, and no study ... compared the differences in health outcomes ... between entirely unimmunized populations of children and fully immunized children."

4

amount of days the Hep-B vaccine was followed for adverse reactions

How can we know what it's doing to our children if it has never gone through safety testing?!



# THE INJURIES ARE REAL

# 4.15B

Paid out by The Vaccine  
Injury Compensation  
Program

**Unlimited anecdotal  
reports of injuries  
following  
administration of a  
vaccine**

## VAERS Database 2016

# 432

 Deaths

fewer than 1% of vaccine  
adverse events are  
reported  
(report funded by HHS)

# 1,091

 Permanent  
disabilities

"Based on this review, the committee  
concluded that the evidence favors  
rejection of a causal relationship between  
some vaccines and SIDS; and that the  
evidence is inadequate to accept or reject a  
causal relationship between other vaccines  
and SIDS, SUDI, or neonatal death." (IOM)

# 4,132

 Hospitalizations

# 10,284

 ER visits

The 1986 act  
removed  
liabilities from  
vaccine  
manufacturers

# Autism And Vaccines

The media portrays as if the anti-vax movement is built on Dr. Wakefield's study. That is false, it's a drop in the ocean from the science we have backing our position.

## The Truth

The CDC claims "Vaccines Do Not Cause Autism" although the studies done are only on the MMR, therefore they can't claim , plural, vaccines do not cause autism.

The vaccine court  
has already paid  
out for autism  
injuries

Autism is  
labeled on the  
vaccine insert  
as a possible  
side effect

"The evidence is inadequate to accept or reject a causal relationship between diphtheria toxoid-, tetanus toxoid-, or acellular pertussis-containing vaccine and autism" (Institute of Medicine, CDC's source that vaccines do not cause autism)

## 18

"Studies" have been done which disproved his theory and still the "myth" goes on. Think about it. He had 8 kids in his study, where he recommended to further investigate the link, and there are 18 studies "disproving" his hypothesis, and the "myth" still goes on. **That's the power of truth.**

"All 18 studies are only on the MMR. Although, many parents report their child regressed into autism from the Dtap, yet, not a single study has been done on any other vaccine!

## 12

Other doctors co-authored on the Wakefield study

# Polio

Is the polio vaccine really necessary after it is already eradicated, and we are not seeing a return? Smallpox vaccine was ceased after deemed eradicated.

# Is the vaccine really necessary?

## Rotavirus - 3 doses

Children who get infected may have severe watery diarrhea, vomiting, fever, or abdominal pain (CDC)

## Chickenpox - 2 doses

Mandated. The CDC now has a page titled "Chickenpox Can Be Serious", "Chickenpox can be serious, even deadly," whom are they trying to fool?

## Hepatitis B - 3 doses

Mandated. Injected into all newborns, other countries only vaccinate if the mother is positive for hep-B. A wonder why the U.S. has the highest first-day infant death out of industrialized world?

# Flu

Patients diagnosed with psychiatric disorders like OCD, anorexia nervosa and anxiety, were more likely to have received vaccinations three months prior to their diagnoses.

# Pertussis

Whooping cough is no joke. Neither is the vaccine. Multiple studies have shown that the pertussis vaccine transmits. According to the CDC its immunity wears off after a few years.

Is it really worth the trade?

# Gardasil

In the trial of the Gardasil 2.3% participants reported new autoimmune conditions, in the first 6 months

In the 50's doctors were quick to recommend tonsil removal, only later after learning its benefits did they refrain doing the procedure.

Trans-fat used to be recommended by AHA, ADA and doctors as the best alternative to saturated fats.

The bottom line is, science is never settled, don't have faith in agencies who always change their minds. Do the research.




# Do The Study!

The ideal study would be to compare vaccinated vs. unvaccinated children and see who is healthier, who has more chronic illness and more deaths in total.

According to the IOM "It is possible to make this comparison [between vaccinated and unvaccinated children] through analyses of patient information contained in large databases such as VSD." Such a retrospective epidemiological study would be quick, cheap and efficient; CDC could literally conduct this study using the VSD in a matter of minutes. Yet, they refuse to do this study.

The studies that have been done comparing vaxxed to unvaxxed - although small in sample size - have dramatic results.

Parents who have children vaccinated and children unvaccinated, all say in harmony the unvaccinated children are by far healthier.



The bottom line: Are we benefiting more than we are losing?